

Digestive cancers and parasites. Ulcerative Colitis, Crohn's Disease, etc. of the esophagus, liver, stomach, intestines, rectum.

Day	Date	Compound B Oral	Compound L Oral	Compound D Oral	Intravenous Nutrients	Other Therapy	User Comments
0	**	Measured as heaping BSI spoonfuls. Use the 30 µl spoon from Black Salve Indonesia. VERY TINY amounts are used.	Measured as full capsules.	Measured as heaping BSI spoonfuls. Use the 30 µl spoon from Black Salve Indonesia. VERY TINY amounts are used.			
1		No application	No application	Bedtime 30 µl in capsule with light food			
2		No application	Morning and Night 1 capsule between meals	Bedtime 60 µl in capsule with light food			
3		Morning 30 µl in cap, before meal	Morning and Night 1 capsule between meals	Bedtime 60 µl in capsule with light food		11A Mineral Bath	
4		Morning 60 µl in cap, before meal	Morning and Night 1 capsule between meals	Bedtime 60 µl in capsule with light food			
5		Morning 60 µl in cap, before meal	Morning and Night 1 capsule between meals	Bedtime 60 µl in capsule with light food		11A Mineral Bath	
6		Morning 60 µl in cap, before meal	Morning and Night 1 capsule between meals	Bedtime PM 60 µl in capsule with light food			
7		Morning 60 µl in cap, before meal	Morning and Night 1 capsule between meals	Bedtime PM 60 µl in capsule with light food	Intravenous Protocol 6B	11A Mineral Bath	
8		REST - TIME OFF FROM WORK, Do not take ORAL compounds. DO take a mineral bath, DO exercise if possible..					11A Mineral Bath
9		REST - TIME OFF FROM WORK, Do not take ORAL compounds. DO take a mineral bath, DO exercise if possible.					11A Mineral Bath
10		Morning 60 µl in cap, before meal	Morning and Night 1 capsule between meals	Bedtime PM 60 µl in capsule with light food			

11	Morning 60 µl in cap, before meal	Morning and Night 1 capsule between meals	Bedtime PM 60 µl in capsule with light food		11A Mineral Bath	
12	Morning 60 µl in cap, before meal	Morning and Night 1 capsule between meals	Bedtime PM 60 µl in capsule with light food			
13	Morning 60 µl in cap, before meal	Morning and Night 1 capsule between meals	Bedtime PM 60 µl in capsule with light food		11A Mineral Bath	
14	Morning 60 µl in cap, before meal	Morning and Night 1 capsule between meals	Bedtime PM 60 µl in capsule with light food			
15	Morning 60 µl in cap, before meal	Morning and Night 1 capsule between meals	Bedtime PM 60 µl in capsule with light food		11A Mineral Bath	
16	Morning 60 µl in cap, before meal	Morning and Night 1 capsule between meals	Bedtime PM 60 µl in capsule with light food	Intravenous Protocol 6B		
17	<p style="text-align: center;">REST - TIME OFF FROM WORK, Do not take ORAL compounds. DO take a mineral bath, DO exercise if possible.</p>				11A Mineral Bath	
18	<p style="text-align: center;">REST - TIME OFF FROM WORK, Do not take ORAL compounds. DO take a mineral bath, DO exercise if possible.</p>				11A Mineral Bath	
19	Morning 60 µl in cap, before meal	Morning and Night 1 capsule between meals	Bedtime PM 60 µl in capsule with light food			
20	Morning 60 µl in cap, before meal	Morning and Night 1 capsule between meals	Bedtime PM 60 µl in capsule with light food			
21	Morning 60 µl in cap, before meal	Morning and Night 1 capsule between meals	Bedtime PM 60 µl in capsule with light food		11A Mineral Bath	
22	Morning 60 µl in cap, before meal	Morning and Night 1 capsule between meals	Bedtime PM 60 µl in capsule with light food			
23	Morning 60 µl in cap, before meal	Morning and Night 1 capsule between meals	Bedtime PM 60 µl in capsule with light food		11A Mineral Bath	
24	Morning 60 µl in cap, before meal	Morning and Night 1 capsule between meals	Bedtime PM 60 µl in capsule with light food			
25	Morning 60 µl in cap, before meal	Morning and Night 1 capsule between meals	Bedtime PM 60 µl in capsule with light food	Intravenous Protocol 6B		

If large tumors persist, or new tumors emerge, repeat the above in full, modifying as needed. Rest five days before beginning again. Write to nyepih@BlackSalveIndonesia.org with questions or comments. Free consultation is included with your order.

Black Salve Indonesia

© 2012 I Wayan Nyepi

Black Salve, Red Salve, Yellow Salve, Healing Salve, Yellow Powder and Brown Powder. We offer pure quality products and how-to-use support, via BlackSalveIndonesia.org and email during business hours (+8:00 GMT). Most instructions are available on-line at BlackSalveIndonesia.org.

Disease Category Nine: Digestive cancers and parasites. Ulcerative Colitis, Crohn's Disease, etc. of the esophagus, stomach, intestines, rectum.

Use Therapies:

- 1A, 1B, 1C) Higher lifestyle recommendations
- 2A, 2B, 2C) 25-Day oral course of treatment, over one or more cycles
- 5A, 5B) Compound B and Compound L in capsules and swallowed
- 10A) Primary rest protocols
- 11A) Water therapy



Compound D Compound B Compound L

Recommended medicines from <http://BlackSalveIndonesia.org/zen>

- 1 ea. **Red Salve/ Compound D**
- 1 ea. **Yellow Powder/ Compound B LARGE**
- 1 ea. **Brown Powder/ Compound L**
- 1 ea. **Packet of 50 gelatin capsules**
- 1 ea. 30 µl measuring spoon.

Additional needs:

- 1) Magnesium Salt (Epsom Salt) for frequent bathing (Protocol 11).
- 2) Any pain medications (Protocol 9).
- 3) A quiet place to rest and time off when needed.
- 4) Meals appropriate to the Higher Lifestyle Diet Protocols.

Digestive cancers and parasites. Ulcerative Colitis, Crohn's Disease, etc. of the esophagus, stomach, intestines, rectum.

****1)** Just as important as the medicines is doing everything possible to **increase immunities**. In modern society, our immune systems are heavily impacted more by diet than all other causes combined. The effects of toxins are generally concentrated in the body, resulting in abnormal growth, eliminations, and skin disease. Though not listed in the above chart, start with the lifestyle recommendations, (Protocol 1).

A) **Drink a lot of water.** This treatment will cause a lot of waste materials to enter your blood stream and elimination channels. With abundant fresh water, you will greatly speed elimination and healing.

B) **Eat good-quality food whenever you are hungry.** Your body will need extra energy to eliminate toxins and to heal itself.

C) Above all else: **Do not eat sugar of any kind**, or in combination with any food. Sugar is literally cancer and parasite food.

2) **Deep rest** also is also important. The medicines taken during this treatment will increase metabolism and possibly increase fatigue. May we suggest you make available the time to take two naps per day, plus sleep between 8 and 10 hours at night. This is to say that any time you feel the need to sleep, do so. (Protocol 10).

3) **Expect strange emotions.** When parasites and tumors are dying, the mood-enhancing toxins they may have been exuding into the body will cease. This may cause feelings and loss similar to the detoxification experienced during drug withdrawal. Strange dreams may also be experienced. This is actually a good indicator, in that one knows the medicine is working and parasites are dying.

*****4)** **Take mineral baths** as often as you can. A hot mineral bath will expedite the elimination of toxins, relax the body, and loosen tumors and parasites. (Protocol 11).

5) Be sure to **read all of the prescribed Therapy Protocols**. You can download them for reference.



Online Purchase: BlackSalveIndonesia.org


Tel: +(62-361) 929-9119

Email: nyepih@BlackSalveIndonesia.Org

Native and Traditional Medicines since 2002


The Liver, Pancreas and Duodenum

Partially digested food, or chyme, passes from the stomach to the duodenum. Here bile and enzymes from the pancreas enter the duodenum and further break down fat, protein and carbohydrates. Bile is produced by the liver and stored in the gallbladder.



Graphics courtesy of
Anatomy & Pathology, 5th Edition.
 Wolters Kluwer / Lippincot Williams & Wilkins
 ISBN 13: 978-0-7817-7356-0

Diseases of the Digestive System



Understanding Colorectal Cancer

